



90 degrees Current RT table, favorable treatment angles = 315 degrees Current RT table, unfavorable treatment angles = 45 degrees



Current RT table, favorable imaging angles = 270 degrees Current RT table, unfavorable imaging angels = 90 degrees


Figure 2A



Improved chamfered edged RT table, favorable treatment angles = 360 degrees Improved chamfered edged RT table, unfavorable treatment angels = 0 degrees

FIG.

2B



Improved chamfered edged RT table, favorable imaging angles = 360 degrees Improved chamfered edged RT table, unfavorable imaging angels = 0 degrees

F16.3


TRADITIONAL EADLATION THERAPY INDEX EDGE
15 10 RADIOLUCENT FORM CORE (11)
OUTER CARBON FIRER LAYER (12)
SOLID RADIATION ABSORBING EDGE (13
15
INDEXTING SCALLOP.

SOUTH EDGE ABSONES RADIATION, BLOCKING IMAGE & TREATMENT PATHS

JAN 1/11/2003

F16. 4A

CHAMFERSO EOGE FOR IMPROVED OBLIGHES



4 of 11

CHAMFERED INDEXING OPTIONS F16.5A SCALLOP EDGE (VERSION 1) SCALLOP EDGE (UERZSTON 2) F16.5B

EDGE NOTCH LIP WITH FIG. GA 42 EDGE NOTCH · USES CONUENTIONAL MANUFACTURING 41 PROVIDES EASY MULTINOPAL SOCUTIONS · INDEXING PATIL CAN EASTLY PROUTDE FOR DESTITION LOCKTING THROUGH HOLE THROUGH HOLE FOR INDEXING. F16.6B

6 of 11

F16. 7A

VERTICAL SIDEO CONFIGURATION

DEUTCE POAPTER CONTETAS, INCLUDE BUT

PRINT LEMETED TO:

51 54 FIG. 7B

51 STRATGHT ELEMENT

56 AND STRATGHT ELEMENT

57 PLOTRUSEON

57 PLOTRUSEON

57 PLOTRUSEON

57 PLOTRUSEON

57 PLOTRUSEON

57 PLOTRUSEON

FIG. 7C

LOCKING MECHANISM.

Dan Dlepue Fab 9, 2003

7 of 11

60 F16. 8A 6 52 62 60 F16. 8B 51-F16.8C WIPNOTTZUSION CLAMP. 8 of 11




FIG. 9B

A
51
52
51
FIG. 9B

FIG. 9B

FIG. 9B

FIG. 9C

MOUABLE

CLAMP.


FeB 9, 2003

90811

F16-10

100f11

F16 11 A



110411